

**REMACHE TUBULAR DIN 7337-A ACERO/ACERO**  
STEEL/STEEL BLIND RIVET DIN 7337-A

**FICHA TÉCNICA**  
TECHNICAL DATA SHEET




**Cuerpo / Body**  
**Material / Material:**  
**Recubrimiento / Coating:**

Acero carbono AISI 306 / Carbon steel AISI 306  
Cindado plata Cr3 / Zinc plated Cr3

**Mandril / Mandrel**  
**Material / Material:**  
**Recubrimiento / Coating:**

Acero carbono AISI 306 / Carbon steel AISI 306  
Cindado plata Cr3 / Zinc plated Cr3

**DATOS TÉCNICOS / TECHNICAL DATA**



**RA**

Ø	D	H	T	P min.	W nom.	CIZALLA TÍPICA Typical shear Cisaillement typique	TRACCIÓN TÍPICA Typical tensile Traction typique	Ø AGUJERO Hole Ø Ø Foret
m.m.	m.m.	m.m.	m.m.	m.m.	m.m.	N	N	m.m.
3,0	2,90-3,08	5,8-6,5	0,8-1,2	27	1,90	950	1.100	3,1-3,2
3,2	3,05-3,28	5,8-6,5	0,8-1,2	27	1,90	1.150	1.380	3,3-3,4
4,0	3,85-4,08	7,0-8,0	0,9-1,5	27	2,42	1.650	2.090	4,1-4,2
4,8	4,65-4,88	8,5-9,5	1,0-1,6	27	2,87	2.400	3.000	4,9-5,0
6,4	6,25-6,48	11,5-13,0	1,4-2,2	30	3,80	4.450	5.500	6,5-6,6

Ø	L	G
m.m.	m.m.	m.m.
3,0	-0,1/+0,5	
	6	1,0-3,0
	8	3,0-5,0
	10	5,0-7,0
3,2	12	7,0-9,0
	6	1,0-3,0
	8	3,0-5,0
	10	5,0-6,5
4,0	12	6,5-8,0
	6	1,0-2,0
	8	2,0-4,0
	10	4,0-6,0
	12	6,0-8,0
	16	10,0-12,0
4,8	18	12,0-14,0
	20	14,0-16,0

Ø	L	G
m.m.	m.m.	m.m.
4,8	-0,1/+0,5	
	6	1,0-1,5
	8	10,-3,0
	10	3,0-5,0
	12	5,0-7,0
	14	7,0-9,0
6,4	16	9,0-11,0
	18	11,0-13,0
	21	14,0-16,0
	24	17,0-19,0
	30	23,0-25,0
	12	3,5-6,5
6,4	15	6,0-9,0
	18	9,0-11,5
	22	11,5-15,5
6,4	25	15,5-18,5